

1/48




Fig. 1

20870-88925001

2/48




Fig. 2A




Fig. 2B

10052688.01.1802




Fig. 3

2081FO-8892500T 10052688-011802

4/48




Fig. 4

1052688.01802




Fig. 5A

2081FO-8892500F

6/48




Fig. 5B

10052688-011802

7/48




Fig. 6

208710-88925001

8/48




Fig. 6A




Fig. 6B




Fig. 6C

208110-88925001
10052688-011802

9/48




Fig. 6D




Fig. 6E




Fig. 6F

208710-88925001





Fig. 7




Fig. 7A

208110-8892500F

11/48




Fig. 8

200810-88925001

12/48




Fig. 9




Fig. 10




Fig. 10A




Fig. 10B

20210788925001

13/48




Fig. 11




Fig. 11A

208110-88925001

14/48





Fig. 12

10052688-01802

208110" 88925001




Fig. 13




Fig. 13A




Fig. 13C




Fig. 13B




Fig. 13D

16/48




Fig. 14

208110-8892500F

17/48




Fig. 15




Fig. 16A




Fig. 16B

208110-8892500T
10052688-011802

18/48




Fig. 17

10052688-01.1802

19/48




Fig. 18




Fig. 19

20810-889250010052688-01802

20/48

Fig. 20




Fig. 21





Fig. 22



20810-88925001
10052688-011802

21/48




Fig. 23

208110-88925001

22/48




Fig. 24

10052588.011802

23/48




Fig. 25A




Fig. 25C




Fig. 25B




Fig. 25D

10052688-011802

24/48




Fig. 26

10052688-011802

25/48




Fig. 27

2081FO-88925001

26/48




Fig. 28

27/48




Fig. 29




Fig. 30

2021-08-25 10:05:26

28/48




Fig. 31





Fig. 32

208710-88925001



30/48




Fig. 33B

10052688-01802




Fig. 34

20810-88925001

32/48




Fig. 35

208T0-8892500T-10052638.011802




Fig. 36

208110-8892500T
10056588-011802

34/48




Fig. 37

10052688-011802

35/48




Fig. 38

36/48

CAPILLARY PERFUSION IN NORMAL RAT BRAIN




Fig. 39

BEST AVAILABLE COPY

CAPILLARIES IN CORE WITHOUT AORTIC LIGATION

37/48




Fig. 40

BEST AVAILABLE COPY

38/48

CAPILLARIES IN PENUMBRA WITHOUT AORTIC LIGATION




Fig. 41

BEST AVAILABLE COPY

39/48

CAPILLARIES IN CORE WITH AORTIC LIGATION




Fig. 42

BEST AVAILABLE COPY

CAPILLARIES IN PENUMBRA WITH AORTIC LIGATION

40/48




Fig. 43

BEST AVAILABLE COPY

41/48




Fig. 44A




Fig. 44B




Fig. 44C




Fig. 44D

10052688.011802

42/48




Fig. 44E




Fig. 44F




Fig. 44G




Fig. 44H

208110-8822500F
10052688-011802

43/48




Fig. 45A






Fig. 45B

208TFO-8892500F
10052688-011802

44/48



208T0-8892500T
10052688-01802

45/48




Fig. 47A




Fig. 47B




Fig. 47C




Fig. 47D

20810-88925001

46/48




Fig. 48A

Fig. 48

2081FO-88925001

47/48




Fig. 48B




Fig. 48C




Fig. 48D

208110-88925001

48/48

